

## Access Control | D8338 Wiegand Keyfob (26-bit)

### Overview

The D8338 Keyfob is compatible with the D8301, D8302, D8303 and D8304, Readykey K3000-series and Stanley GS3 Low Frequency capable Proximity Readers. Unobtrusive and compact it fits on a key ring, and is often used where photo ID is not required. Each Keyfob is supplied with its 26-bit Wiegand code on a removable label.

As an alternative to the traditional mechanical key, millions of Stanley PAC proximity cards and fobs are used by people as an easy and reliable means of gaining access to their places of work and other secured access points e.g. car park barriers and turnstiles.

The passive proximity technology in the Keyfob requires no batteries or physical contact with the reader; this helps assure that the keyfobs are virtually wear-free and will provide years of service with no maintenance backed by a lifetime guarantee. Robust, world-class construction combined with advanced technology and a pre-programmed unique identification number without site codes, makes programming easy and copying almost impossible.

Together with the access control system, the Keyfob enables a user's movements to be monitored and the building protected. The Keyfob need only be held near the proximity door reader for the code to be read and access granted or denied within 0.5 of a second. In the event that the keyfob is lost or stolen, it can easily be replaced and the lost keyfob access privileges, simply and instantly revoked.

### Key Features

- Offers fast and convenient access
- Compatible with Radionics/Bosch™ D9000G and D7000G Control Panels with D-Series readers
- Compatible with the D8301, D8302, D8303 and D8304 and Stanley GS3 125 kHz proximity readers
- Small and convenient
- Rugged and durable 'washing machine tough' design
- Versatile, easily attached to a keyring, badge clip, chain or carried in pocket or handbag
- Uniquely coded proximity cards
- Each package contains ten Keyfobs
- Proven and reliable technology
- Double sealed and ultra-sonic welded ABS construction
- Proven, Reliable 125 kHz Technology
- Long life, passive no battery design
- Lifetime guarantee



## FEATURES AND SPECIFICATIONS CHART

	D8338-10 Wiegand Keyfob (26-bit)
Description	Uniquely coded, 125 kHz, oval shaped proximity keyfob
ID Technology	KeyPAC - 125 kHz
Dimensions	H: 2.40 in. L: 1.22 in. D: 0.35 in.
Weight	0.32 oz. nominal
Operating Temperature	-18° to 131°F
Keyfob Outer Construction	Double sealed ultrasonic welded ABS plastic
Keyfob Inner Construction	RF core fully encapsulated in epoxy
Finish Front	Black matt plastic with key design
Finish Rear	Black matt plastic
Warranty	Limited Lifetime warranty against defects in materials and workmanship .
Ordering Information Stanley PAC Part Number (Supplied in pack of 10)	<b>75-D8338</b> Proximity Keyfob (26-bit), labelled with wiegand code



## CREDENTIAL READ RANGE

	D8338 Keyfob	D8339 ISO Card
Onepro Standard Reader	Up to 4.7 in.	Up to 7 in.

## KEYPAC CREDENTIALS



75-D8338



75-D8339

